

HD Construction Equipment logo – Pantone version – Full color – Korean

Symbol height = H



여백적용 / Clear space

상하좌우 각각 0.5H 이상의 여백 확보를 권장하며, 최소 0.25H이상의 여백을 최소 공간규정으로 적용합니다.

It is recommended to secure a blank space of 0.5H or more on the top, bottom, left, and right sides, and a blank space of at least 0.25H as the minimum space rule.

Pantone
on coated
paper

Eco Green
PMS 802c

Heritage
Green
PMS 354c


Prosperity
Green
PMS 348c

Discovery
Blue
PMS 287c

Trust Blue
PMS 655c

HD Construction Equipment logo – Pantone version – Full color – English (Two lines)

Symbol height = H



여백적용 / Clear space

상하좌우 각각 0.5H 이상의 여백 확보를 권장하며, 최소 0.25H이상의 여백을 최소 공간규정으로 적용합니다.

It is recommended to secure a blank space of 0.5H or more on the top, bottom, left, and right sides, and a blank space of at least 0.25H as the minimum space rule.

Pantone
on coated
paper

Eco Green
PMS 802c

Heritage
Green
PMS 354c

Prosperity
Green
PMS 348c

Discovery
Blue
PMS 287c

Trust Blue
PMS 655c

HD Construction Equipment logo – Pantone version – Single color – Korean


Symbol height = H



여백적용 / Clear space
상하좌우 각각 0.5H 이상의 여백 확보를 권장하며, 최소 0.25H이상의 여백을 최소 공간규정으로 적용합니다.
It is recommended to secure a blank space of 0.5H or more on the top, bottom, left, and right sides, and a blank space of at least 0.25H as the minimum space rule.

HD Construction Equipment logo – Pantone version – Single color – English (Two lines)

Symbol height = H



여백적용 / Clear space
상하좌우 각각 0.5H 이상의 여백 확보를 권장하며, 최소 0.25H이상의 여백을 최소 공간규정으로 적용합니다.
It is recommended to secure a blank space of 0.5H or more on the top, bottom, left, and right sides, and a blank space of at least 0.25H as the minimum space rule.

HD Construction Equipment logo – Pantone version – Full color – Negative - Korean

Symbol height = H



여백적용 / Clear space

상하좌우 각각 0.5H 이상의 여백 확보를 권장하며, 최소 0.25H이상의 여백을 최소 공간규정으로 적용합니다.

It is recommended to secure a blank space of 0.5H or more on the top, bottom, left, and right sides, and a blank space of at least 0.25H as the minimum space rule.

Pantone
on coated
paper

Eco Green
PMS 802c

Heritage
Green
PMS 354c


Prosperity
Green
PMS 348c

Discovery
Blue
PMS 287c

Trust Blue
PMS 655c

HD Construction Equipment logo – Pantone version – Full color – Negative - English (Two lines)

Symbol height = H



여백적용 / Clear space

상하좌우 각각 0.5H 이상의 여백 확보를 권장하며, 최소 0.25H이상의 여백을 최소 공간규정으로 적용합니다.

It is recommended to secure a blank space of 0.5H or more on the top, bottom, left, and right sides, and a blank space of at least 0.25H as the minimum space rule.

Pantone
on coated
paper

Eco Green
PMS 802c

Heritage
Green
PMS 354c

Prosperity
Green
PMS 348c

Discovery
Blue
PMS 287c

Trust Blue
PMS 655c

HD Construction Equipment logo – Pantone version – Single color – Negative – Korean

Symbol height = H




여백적용 / Clear space

상하좌우 각각 0.5H 이상의 여백 확보를 권장하며, 최소 0.25H이상의 여백을 최소 공간규정으로 적용합니다.

It is recommended to secure a blank space of 0.5H or more on the top, bottom, left, and right sides, and a blank space of at least 0.25H as the minimum space rule.

HD Construction Equipment logo – Pantone version – Single color – Negative – English (Two lines)

Symbol height = H



여백적용 / Clear space

상하좌우 각각 0.5H 이상의 여백 확보를 권장하며, 최소 0.25H 이상의 여백을 최소 공간규정으로 적용합니다.

It is recommended to secure a blank space of 0.5H or more on the top, bottom, left, and right sides, and a blank space of at least 0.25H as the minimum space rule.